

SPEC Lab # _____
Receive Date: _____
(Spec Lab use only)



Chain of Custody Form

EPA Method 533 – Drinking Water Analysis

📍 1505 Franklin Blvd, Room 204 – Papé Family Innovation Center
Knight Campus for Accelerating Scientific Impact
Eugene, OR 97403 📞 541-225-5362
✉ speclab@speclabllc.com

Client Information:

Company/Customer Name: _____ Contact Person: _____
Billing Address: _____ Phone Number: _____
_____ Email: _____

Sample Collection Information:

Sample Address (if different than above): _____
Sampler Name: _____ Is the Water Treated? Yes No

⚠ Do NOT rinse sample bottles. Bottles contain ammonium acetate preservative.

Sample ID	Time of Collection	Date of Collection	Location of Collection (Entry Point, Well Port, Kitchen Sink, etc.)
1			
2			
3			
4			
5			
6			

Samples Placed on Ice? Yes No

Comments / Special Instructions:

Customer Signature: _____ Date: _____

I acknowledge that I have reviewed and agree to SPEC LAB LLC's Standard Terms and Conditions.

Place this completed form inside the shipping container prior to return shipment, drop off or pickup. Incomplete forms may delay sample processing. We cannot accept unsigned forms.